




# WEEKLY HEALTH REPORT


CURRENT MORBIDITY DATA FOR THE ARMY  
IN THE CONTINENTAL UNITED STATES

WEEK ENDED 17 MAY 1946




ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED  
PER 1000 STRENGTH

DISEASE



INJURY



ARMY  
MEDICAL  
JUN - 6 1946  
LIBRARY

ARMY  
MEDICAL  
JUN - 6 1946  
27



THIS DOCUMENT CONTAINS INFORMATION  
AFFECTING THE NATIONAL DEFENSE OF THE  
UNITED STATES WITHIN THE MEANING OF THE  
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS  
AMENDED. ITS TRANSMISSION OR THE REVELA-  
TION OF ITS CONTENTS IN ANY MANNER TO AN  
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

## WEEKLY HEALTH REPORT

## CONTENTS

DATA FOR WEEK ENDED 17 MAY 1946

NATURE OF THE DATA . . . . .	PAGE 2
COMMENT ON CURRENT TRENDS . . . . .	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS . . . . .	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER . . . . .	14
STATIONS WITH HIGHEST MORBIDITY RATES . . . . .	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST. . . . .	20



# WEEKLY HEALTH REPORT

## NATURE OF THE DATA

The data presented here were taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (1).

### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatizations (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

### MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

### EXPLANATORY MATTER


In reading the detail tables, it should be borne in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (M) is placed after the name of the station.



# MORBIDITY FROM — ALL CAUSES — INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED

OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH




# MORBIDITY FROM ————— DISEASE

## ————— COLDS INFLUENZA ETC.

RESTRICTED

CONTINENTAL UNITED STATES



RESTRICTED



## COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See page 3.)

Morbidity from all causes during the week ended 17 May increased, being reported at 591 admissions per 1000 troops per annum, as compared with 565 such admissions during the preceding week.

Injury: (See page 3.)

Injury admissions decreased to 35 per 1000 troops per annum; highest rate was that reported from the Fifth and Eighth Service Commands (43 per 1000), ranging down to 22 per 1000 in the Military District of Washington.

Diseases: (See opposite page.)

Morbidity from all diseases in the United States as a whole during the week increased from 529 to 556 admissions per 1000 troops per annum.

Respiratory Diseases:

(See opposite page and pages 6 and 7.)

The rate for colds, influenza, etc. increased during the week from 100 per 1000 to 107 per 1000.

Morbidity from these causes continued highest in the Third Service Command.

Admissions for all forms of pneumonia increased from 13 to 14 per 1000 troops per annum, increases occurring in all service commands except the Fifth and Ninth. Highest morbidity (31 admissions per 1000 troops per annum) was reported from the Fourth Service Command; rates ranged downward to 4 per 1000 in the Ninth Service Command. The rate for pneumonias other than primary atypical decreased during the week from 4.2 to 3.5 per 1000 troops per annum. In the corresponding periods of last year, this rate was 3.6 per 1000, while it moved from 4.3 to 3.8 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases remained at 82 per 1000 troops per annum.

Other Communicable Diseases:

The rate for scarlet fever dropped to 5.4 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 6.9.

The rate for rheumatic fever was reported at 3.0 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 3.5.

Admissions for streptococcal sore throat decreased during the week from 4.0 to 2.4 per 1000 troops per annum.

MORBIDITY AT TRAINING CENTERS: (See page 13.)


It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.




# MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 17 MAY 1946


## ALL CAUSES






## CURRENT WEEK DISEASE



## COLDS, INFLUENZA, ETC.



## CURRENT YEAR TO DATE







# MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 17 MAY 1946


## VENEREAL FEVER






## CURRENT WEEK SCARLET FEVER



## RHEUMATIC FEVER



## CURRENT YEAR TO DATE





## COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 7 per cent; this rate remained about the same during the week at stations having training centers, and increased by 8 per cent at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while 65 per cent higher than that at other stations, decreased by about 3 per cent during the week. Rates at AGFHTC's fell below those at Service Force and Air Force Centers.

Admissions for pneumonia at training center stations as a whole increased from 25 to 30 per 1000 troops per annum, contrasting sharply with the rate of 7 at other stations.

Morbidity from scarlet fever at stations having training centers decreased from 15 to 11 admissions per 1000 troops per annum. The rate for rheumatic fever also decreased during the week (6 to 4 admissions per 1000 troops per annum) at stations having training centers.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 40.4 per 1000 troops for the week ended 17 May, as compared with 32.8 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: (See page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 81,877, as compared with 84,565 at the end of the previous week.

The number of neuropsychiatric cases remaining was 5338 or about 300 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 15,400. Battle wounded remaining decreased by about 900 to number 18,094.


CERTIFICATES OF DISABILITY FOR DISCHARGE: (See page 10)

In the week ended 17 May there were 1932 enlisted personnel discharged by CDD (about 150 more than in the previous week). These discharges included 64 accomplished at Air Force medical activities. Among them were 420 neuropsychiatric cases.




# NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING IN HOSPITAL


CONTINENTAL UNITED STATES





# CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES





# WEEKLY HEALTH REPORT

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		SCARLET FEVER		VENEREAL (EXCL. EPTI)					
C U R R E N T      W E E K      C O M P A R E D      W I T H      P R E V I O U S      W E E K																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	
TOTAL UNITED STATES	1189007	1207924	591	565	556	529	35	36	107	100	14	13	5	7	82	82	40	40	
FIRST SERVICE COMMAND	28029	28423	564	489	538	454	26	35	74	75	9?	4?	0	7?	46	44	49	48	
SECOND SERVICE COMMAND	136833	138325	684	663	659	623	25	40	102	92	11	9	4	5	112	105	41	40	
THIRD SERVICE COMMAND	123054	123778	701	679	675	650	26	29	171	153	19	18	11	14	105	116	40	41	
MIL. DIST. OF WASHINGTON	46336	45671	510	565	488	540	22	25	135	137	12	10	9	22	63	46	44	47	
FOURTH SERVICE COMMAND	198341	205164	538	518	505	485	33	33	52	58	31	26	3	2	128	119	45	44	
FIFTH SERVICE COMMAND	92111	92652	595	537	552	498	43	39	98	88	11	13	13	10	61	54	39	40	
SIXTH SERVICE COMMAND	72854	77802	472	429	433	402	39	27	99	87	14	11	6	7	39	35	35	33	
SEVENTH SERVICE COMMAND	76394	81089	595	508	564	480	31	28	129	124	10	6	5	15	62	61	45	44	
EIGHTH SERVICE COMMAND	222332	224365	631	593	588	550	43	43	144	125	11	11	2	4	56	61	36	37	
NINTH SERVICE COMMAND	192723	190655	524	545	485	504	39	41	80	85	4	6	5	5	72	83	39	41	
C U R R E N T      Y E A R      T O      D A T E      C O M P A R E D      W I T H      C O R R E S P O N D I N G      P E R I O D      P R E V I O U S      Y E A R																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	
TOTAL UNITED STATES	1555567	2875919	624	632	592	582	32	50	160	157	16	13	8	2	76	43	79	82	
FIRST SERVICE COMMAND	50188	79556	541	673	514	627	27	46	130	151	9	7	5	1	37	52	140	132	
SECOND SERVICE COMMAND	148902	180006	660	686	634	644	26	42	132	155	13	10	3	2	71	49	100	111	
THIRD SERVICE COMMAND	157796	186254	783	673	755	634	28	39	247	158	20	12	17	2	105	61	65	95	
MIL. DIST. OF WASHINGTON	47720	51304	739	622	713	583	26	39	275	172	26	8	25	1	44	21	77	71	
FOURTH SERVICE COMMAND	306523	702195	561	617	528	560	33	57	111	133	21	14	5	1	115	47	67	71	
FIFTH SERVICE COMMAND	114513	138037	582	650	551	606	31	44	117	195	12	15	9	2	63	50	100	172	
SIXTH SERVICE COMMAND	95443	104358	546	661	516	626	30	35	118	180	17	19	6	7	51	49	118	132	
SEVENTH SERVICE COMMAND	123609	266595	709	587	684	548	25	39	237	147	18	10	18	4	58	42	83	83	
EIGHTH SERVICE COMMAND	259262	696345	628	634	591	578	37	56	194	180	17	17	6	2	63	37	66	58	
NINTH SERVICE COMMAND	251611	471269	580	625	541	573	39	52	129	146	10	8	4	2	63	38	67	74	

FORM 50-3000 REVISED 13 NOVEMBER 1943

RESTRICTED \*\* Does not include evacuees.  
\*\*\* Includes evacuees.

\* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis,  
Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 20  
WEEK ENDING 17 May 1946

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES											NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD	
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY		BATTLE CASUALTY
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1189007	102	168	123	10	68	239	73	7	227	70	54	122	43	18	23	2	1932
FIRST SERVICE COMMAND	28029	1	3			3	5	7		2	1		3	2	1		1	72
SECOND SERVICE COMMAND	136833	7	21	10	1	8	17	21	3	14	6	1	15	2		2		353
THIRD SERVICE COMMAND	123054	19	16	25	2	13	44	2		20	9	8	33	2	1	1		87
MIL. DIST. OF WASHINGTON	46336	5	5	8		8	8	3	1	5			1	1	1			34
FOURTH SERVICE COMMAND	198341	7	16	13	1	8	106	6	1	38	5	1	9	5	2	2	1	336
FIFTH SERVICE COMMAND	92111	7	10	23	1	7	8	8	1	14	4	1	5	5	2	3		223
SIXTH SERVICE COMMAND	72854	5	11	8		3	11	4		14	6		8	5	4	1		119
SEVENTH SERVICE COMMAND	76394	15	12	7	1	10	10	4		6	7	27	11	2	2			184
EIGHTH SERVICE COMMAND	222332	13	39	10	2	4	26	11	1	69	32	16	22	4	3	1		246
NINTH SERVICE COMMAND	192723	23	35	19	2	4	4	7		45			15	15	2	13		278
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1207924	158	189	161	8	81	199	92	6	231	94	94	129	37	16	18	3	1764
FIRST SERVICE COMMAND	28423	2	4	4				3		4	3	1	7	2	1		1	90
SECOND SERVICE COMMAND	138325	13	8	12	2	11	18	55	4	18	15	34	15	5	1	4		256
THIRD SERVICE COMMAND	123778	25	24	33		10	31	6		24	8	5	29	2	1	1		84
MIL. DIST. OF WASHINGTON	45671	11	4	19		13	8	1		9	4		3					31
FOURTH SERVICE COMMAND	205164	12	23	7	1	9	94	7		31	8		13	6	3	3		315
FIFTH SERVICE COMMAND	92652	7	13	18	1	7	6			24	8	4	12	2		1	1	228
SIXTH SERVICE COMMAND	77802	4	8	11		1	8	7		14	3	1	3	3	3			152
SEVENTH SERVICE COMMAND	81089	22	12	23	1	15	6	2		16	7	38	11	4	2	1	1	167
EIGHTH SERVICE COMMAND	224365	37	50	16	2	13	19	9		50	30	11	16	11	4	7		209
NINTH SERVICE COMMAND	190655	25	43	18	1	2	9	2	2	41	8		20	2	1	1		232

FORM SG-396C REVISED 2 DEC. 1944

\* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED



# WEEKLY HEALTH REPORT

## SUMMARY OF TRAINING CENTERS

RESTRICTED

	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER ANNUM													
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	W*COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS
TOTAL UNITED STATES	1189007	591	556	35	107	14	3	82	4	7	5	0	3	10	3
Stations without Training Centers	823941	580	544	36	89	7	4	88	3	7	3	1	2	5	4
Stations having Training Centers	365066	614	583	31	148	30	1	69	7	9	11	0?	4	24	1
Stations having ASFTC's 1/	210141	647	622	25	157	17	0	84	10	9	11	0?	5	14	2
Stations having AAFBTC's 2/	39342	523	482	41	148	70	0	22	3?	9	9	0	4?	40	0
Stations having AGFTC's 3/	115583	582	545	37	130	40	3	56	3	7	10	0	4	35	1?
		1/ ARMY SERVICE FORCES TRAINING CENTERS.													
		2/ ARMY AIR FORCES BASIC TRAINING CENTERS.													
		3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTERS.													



# WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FIRST SERVICE COMMAND	28029	564	538	26	74	9?	11	46	1	3			3	5	7	2	1		72
Devens, Ft., Mass. 4/	9867	632	611	21?	79	11?	5?	32						2	2				
Westover Field, Mass.	5537	395	367	28?	94			94	1	2			1						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	12625	585	556	29	62	12?	21?	37		1			2	3	5	2	1		72
SECOND SERVICE COMMAND	136833	684	659	25	102	11	12	112	7	21	10	1	8	17	21	2		2	353
Dix, Ft., N.J. 4/	41437	677	676	1?	73	4?		64	2				4	3	5				4
Kilmer, Co., N.J.	41924	732	713	19	66	6?		228	3	13	2	1		1	3				12
Monmouth, Ft., N.J.	9425	789	717	72	315	33	28?	33		5	7		1	4	1	1		1	1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	44047	625	580	45	119	17	32	65	2	3	1		3	9	12	1		1	336
THIRD SERVICE COMMAND	123054	701	675	26	171	19	3	105	19	16	25	2	13	44	2	2	1	1	87
Aberdeen Prov. Ord., Md. 1/	24262	797	776	21	358	15		54	8	2	13		2	7					
Bistis, Ft., Va. 1/	15646	1197	1160	37	332	37		213	8	7	1	1	2	11	1				
Geo. G. Meade, Ft., Md. (RH) 4/	21331	577	575	2?	22	20	10?	132	1					8					11
Lee, Co., Va. (RH) 1/	34941	590	572	18	112	27		112		3	7		7	17	1	2	1	1	8
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	26874	569	515	54	103	4?	4?	60	2	4	4	1	2	1					68

FORM 96-945 11 DEC. 1944

RESTRICTED

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.  
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
MILITARY DISTRICT OF WASH.	46336	510	488	22	135	12	17	63	5	5	8		8	8	3	1	1		34
Belvoir, Ft., Va. (RH) 1/	19682	581	563	18	180	26		95	5	4	6		8	8	2				6
Washington Gen. Disp., D.C.	7366	289	268	217	141		77								1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19288	523	496	27	86	37		54		1	2					1	1		28
FOURTH SERVICE COMMAND	198341	538	505	33	52	31	3	128	7	16	13	1	8	106	6	5	2	2	336
Benning, Ft., Ga. (RH)	20979	769	697	72	67			248	1	4					1				4
Bragg, Ft., N.C. (RH) 3/ 4/	31688	417	399	18	41	37		62	3	3			2	2	1				9
Greensboro AAFORD, N.C.	11479	653	621	32	32	57	97	263	1	1	1	1		1	1				2
Jackson, Ft., S.C.	11507	606	583	237				352											1
Keesler Field, Miss (RH) 2/	19869	429	387	42	110	97		16	2	1	3		3	28					7
McClellan, Ft., Ala. (RH) 3/	25959	545	521	24	84	134	87	62		4	3		1	66					17
McPherson, Ft., Ga. 4/	10107	597	561	36	267	217		87		1	3			4					5
Shelby, Cp., Miss. 4/	5780	1062	1035	277	63	97		342						1		1	1		6
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	60973	461	431	30	38	47	37	104		2	3		2	4	3	4	1	2	285

FORM SG-945 11 DEC. 1944

RESTRICTED

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.  
2/ ARMY AIR FORCES BASIC TRAINING CENTER.  
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER. 15

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY		
FIFTH SERVICE COMMAND	92111	595	552	43	98	11	17	61	7	10	23	1	7	8	8	5	2	3	223	
Atterbury, Cp., Ind. 1/	19961	648	638	107	70	37		78	2	1			1		3	1		1		
Campbell, Cp., Ky.	17897	509	471	38	37		37	64	1	1						1		1		
(RH) Dayton, Ohio AAF, Tech. Base	8689	455	425	307	72			102	2	1			3		1				1	
Knox, Ft., Ky. (RH) 2/	26290	652	599	53	196	36	27	32	2	5	20		3	7	2	1	1		11	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19274	608	532	76	92	37		62		2	3	1		1	2	2	1	1	211	
SIXTH SERVICE COMMAND	72854	472	433	39	99	14	17	39	5	11	8		3	11	4	5	4	1	119	
Chanute Field, Ill. (RH)	9236	563	495	68	208			34	2	3	2									
McCoy, Cp., Wis.	7578	590	583	77	48	147		55		1				2	2	1	1		2	
Scott Field, Ill. (RH)	19558	561	521	40	152	29		51	1	5	6			3		1	1		1	
Sheridan, Ft., Ill. (RH) 4/	17059	353	335	18	37	97	37	40	1	1				3		1		1	4	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19423	399	343	56	67	87		24	1	1			3	3	2	2	2		112	

FORM 56-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.  
2/ ARMY AIR FORCES BASIC TRAINING CENTER.  
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER. 16

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
SEVENTH SERVICE COMMAND	76394	595	564	31	129	10	1?	62	15	12	7	1	10	10	4	2	2		184
Buckley Field, Colo. (RH)	7561	1335	1259	76	378	21?		41	6	3	2		4						9
Crowder, Co., Mo. (RH) 1/	8720	358	340	18?	48	36		36	1	3	1			5	3				28
Jefferson Bks., Mo. 4/	5774	468	432	36?	27?			81		1									
Leavenworth, Ft., Kans. 4/	10783	642	632	10?	125			72	1	1			1						4
Lowry Field, Colo.	7258	538	509	29?	215		7?	43			1								
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	36298	516	484	32	96	9		70	7	4	3	1	5	5	1	2	2		143
EIGHTH SERVICE COMMAND	222332	631	588	43	144	11	1?	56	13	39	10	2	4	26	11	4	3	1	246
Amarillo AAF, Texas (RH)	9996	963	937	26?	468	5?		31	2		2			1					2
Bliss, Ft., Texas 3/ 4/	16647	862	837	25	234	3?	6?	94	2	3			1	1					
Chaffee, Co., Ark. 4/	7561	523	495	28?	55	14?		76	1			1		1					6
Hood, Co., Texas	15178	583	552	31	69	3?		62	1	3				1	5				5
(RH) 3/ Jos. T. Robinson, Co., Ark.	14999	566	479	87	170	7?		31					2	2					6
Polk, Co., La. 1/	23995	754	691	63	98	17		50	6	7	1			6					9
Sam Houston, Ft., Texas 1/ 4/	27769	401	382	19	49			52											
(RH) San Antonio AAF, Tex. (CH)	23505	858	856	2?	268	11?		44		9	3			5					18
Sheppard Field, Texas (RH) 2/	19473	620	580	40	187	43		29		6	4			2					16
Sill, Ft., Okla.	6661	601	523	78	47	16?		47						1					1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	56548	526	463	63	97	7	2?	72	1	11		1	1	6	6	4	3	1	183

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.  
2/ ARMY AIR FORCES BASIC TRAINING CENTER.  
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER. 17

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH







# WEEKLY HEALTH REPORT

## LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 20  
WEEK ENDING 17 May 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			<i>Scarlet Fever</i> Annual Admission Rate per 1000		
Buckley Field, Colo.	1335	1178	Buckley Field, Colo.	1259	1143	Knox, Ft., Ky. 3/	40	32
Eustis, Ft., Va. 1/	1197	1171	Eustis, Ft., Va. 1/	1160	1136	Monmouth, Ft., N. J.	39	18?
Shelby, Cp., Miss. 4/	1062	748	Shelby, Cp., Miss. 4/	1035	727	Aberdeen Prov. Grd., Md. 1/	28	25
Amarillo AAF, Tex.	963	928	Amarillo AAF, Tex.	937	902	Belvoir, Ft., Va. 1/	16	50
Bliss, Ft., Tex. 3/ 4/	862	749	San Antonio AAF, Tex.	856	590	Scott Field, Ill.	16	11?
San Antonio AAF, Tex.	858	605	Bliss, Ft., Tex. 3/ 4/	837	732	Lee, Cp., Va. 1/	10	25
Aberdeen Prov. Grd., Md. 1/	797	762	Aberdeen Prov. Grd., Md. 1/	776	747	No Other Stations With Six or More Cases		
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			<i>measles</i> Annual Admission Rate per 1000		
Amarillo AAF, Tex.	468	498	McClellan, Ft., Ala. 3/	134 (132)	85 (83)	Buckley Field, Colo.	41	42
Buckley Field, Colo.	378	478	Keesler Field, Miss. 2/	97 (73)	85 (81)	Eustis, Ft., Va. 1/	27	14?
Aberdeen Prov. Grd., Md. 1/	358	362	Sheppard Field, Tex. 2/	43 (5?)	56 (0)	Aberdeen Prov. Grd., Md. 1/	17	21
Eustis, Ft., Va. 1/	332	241	Eustis, Ft., Va. 1/	37 (37)	11? (11?)	Polk, Cp., La. 1/	13	16
Monmouth, Ft., N. J.	315	184	Knox, Ft., Ky. 3/	36 (14)	42 (10?)			
San Antonio AAF, Tex.	268	154	Crowder, Cp., Mo. 1/	36 (30?)	0 (0)			
Bliss, Ft., Tex. 3/ 4/	234	274	Monmouth, Ft., N. J.	33 (22?)	12? (12?)	No Other Stations With Six Or More Cases		
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Jackson, Ft., S. C.	352	290	Jos. T. Robinson, Cp., Ark. 3/	87	58			
Shelby, Cp., Miss. 4/	342	284	Sill, Ft., Okla.	78	22?			
Greensboro AAFORD, N. C.	263	177	Buckley Field, Colo.	76	35?			
Benning, Ft., Ga.	248	199	Monmouth, Ft., N. J.	72	53			
Kilmer, Cp., N. J.	228	229	Benning, Ft., Ga.	72	25			
Eustis, Ft., Va. 1/	213	297	Chanute Field, Ill.	68	20?			
Geo. G. Meade, Ft., Md. 4/	132	116	Polk, Cp., La. 1/	63	56			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

\*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

\*\*Figures in parentheses are rates for atypical pneumonia only.

1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.  
2/ ARMY AIR FORCES BASIC TRAINING CENTER.  
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



RESTRICTED

### LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

FORM SG-902 - 8 July 1944

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH